
CITY COMMUTER (\$3,295.00 to \$3,595.00)

FRAME OPTIONS AND COLORS

Greige with Maroon Rims

STEP-THRU 26" Black

The Pedego City Commuter is a complete package. It includes everything you could possibly want in an electric bike, all in one place for a reasonable price.





KEY FEATURES



MADE FOR YOU

The first thing you notice when you ride a City Commuter is how comfortable you feel. You'll swear it was made just for you – because it was! The most important part of any Pedego is the person riding it, and the City Commuter is built with only one thing in mind: YOU.

FULLY-LOADED

The City Commuter comes equipped with user-friendly features that make riding even more fun and practical. From the everyday utility of fenders with mudflaps, to the simple pleasure of a built-in bell, and innovative Smart Bike Technology including a bluetooth connected smartphone app; we've thought of everything!





BREATHTAKING PERFORMANCE

- A whisper quiet, 500 watt motor delivers best in class acceleration and hill climbing. The sensation of power it gives you is exhilarating.

- A state-of-the-art 48 Volt battery uses the same advanced lithium-ion cells as an electric car. It weighs less than a housecat and can take you up to 60 miles on about 10 cents worth of electricity.



SMALL DETAILS MAKE A BIG DIFFERENCE



1. Comfort & Style Traditional frame geometry and city-style handlebars feel natural and familiar.



2. Adjustable Handlebars Quick-release handlebar stem allows you to find a perfect fit.



4. Bright Lights

Built-in front and rear lights for your safety and convenience.



5. Balloon Tires

Kevlar-belted tires help prevent flats and give you a nice, smooth ride.



3. Full Coverage

A full coverage chain guard and fenders with mud flaps keep you clean and dry

More Notes...



6. PedalSense®

Twist-and-go throttle, 5 levels of pedal assist, and LCD display with USB charger.



SPECIFICATIONS

Electronics

MOTOR	SILVER 48V BRUSHLESS GEARED REAR HUB MOTOR; 500 WATT NOMINAL POWER RATING; 45NM TORQUE; QUICK DISCONNECT WITH WATERPROOF CONNECTION.
BATTERY	48 VOLT 10 OR 15 AMP HOUR WITH PREMIUM LITHIUM ION 18650 CELLS; SMART BIKE TECHNOLOGY WITH ESB APP INTEGRATION; AUTO SLEEP FUNCTION AND BLUETOOTH CONNECTIVITY.
CHARGER	3 AMP SMART CHARGER WITH INTERNAL FAN AND CHARGE INDICATOR LIGHT.
CONTROLLER	48 VOLT 18 AMP SINE WAVE CONTROLLER WITH CUSTOM PEDALSENSE® SOFTWARE AND WATERPROOF CONNECTIONS.
THROTTLE	TWIST AND GO THROTTLE WITH THREADED WATERPROOF CONNECTION.
PEDALSENSE®	FREE RIDE MODE (NO POWER), FIVE LEVELS OF PEDAL ASSIST WITH THROTTLE OVERRIDE, AND THROTTLE ONLY MODE.
TOP SPEED	20 MPH WITH MOTOR ASSISTANCE ONLY.
DISPLAY	3.5" BACKLIT LCD SCREEN; 4 BUTTONS TO CONTROL ELECTRONICS, TOGGLE INFO DISPLAYED, AND CUSTOMIZE SETTINGS; USB CHARGING PORT; WATERPROOF THREADED CONNECTION; CUSTOM PEDALSENSE® SOFTWARE.

Drivetrain	
DERAILLEUR	SHIMANO ACERA RD-M360 7-SPEED, FULL METAL CONSTRUCTION AND TEFLON COATED BUSHINGS.
CASSETTE	SHIMANO HYPERGLIDE HG20 7 SPEED 12-32T; SMOOTH, LIGHT AND RELIABLE SHIFTING PERFORMANCE.
SHIFTER	SHIMANO FT55 TOURNEY RIGHT HAND THUMB SHIFTER WITH EASY TO READ GEAR DISPLAY.
BOTTOM BRACKET	68MM X 137MM SQUARE TAPER SPINDLE WITH SEALED CARTRIDGE BEARINGS; STEEL CUPS AND BODY.
CHAIN	SHIMANO HG40 1/2"X3/32" 116-120 LINKS WITH INNER PLATE CHAMFERING.
CRANK	SILVER 3 PIECE CRANK WITH 5X130MM BCD 3/32" 46T CHAINRING AND INTEGRATED CHAINGUARD; 175MM FORGED ALUMINUM CRANK ARMS.
PEDALS	SILVER PEDEGO ALUMINUM PLATFORM PEDAL; 9/16" SPINDLE; POLYMER DU BUSHING; INTEGRATED PEDAL REFLECTORS.



SPECIFICATIONS

B	ra	kes	S
_			

CALIPERS

AVID BB7 MOUNTAIN MECHANICAL DISC BRAKES; INTUITIVE EASY TO USE ADJUSTABILITY; DUAL KNOB PAD ADJUSTMENT; TRI-ALIGN CALIPER POSITIONING SYSTEM; INTEGRATED CABLE STOP SPRING TENSION ADJUSTMENT.

ALLINANUNA ALLIOVANTEORATER REINEOROER REAR RAOVER RADIATERVAND

- **LEVERS** TEKTRO ERGONOMIC LEVER WITH RUBBER FINGER PADDING; INTEGRATED LEFT HAND BELL; INTEGRATED MOTOR CUT OFF SWITCH FOR MAXIMUM SAFETY.
- PADSAVID METAL SINTERED WITH STEEL BACKING PLATE; OE QUALITY FOR NO-COMPROMISE DISC
BRAKE PERFORMANCE.
- **ROTORS** AVID G2 CLEAN SWEEP; 180MM DIAMETER; G2 DESIGN HELPS DIRT AND GRIME FROM ACCUMULATING ON BRAKE PADS.

		ents
LOM	non	ents
0011		CIICO

FRAME	6061-T6 ALUMINUM ALLOY; INTEGRATED REINFORCED REAR RACK FOR BATTERY AND STOR- AGE; INTERNAL CABLE AND WIRE ROUTING.
FORK	26" OR 28" RIGID HIGH TENSILE STEEL; 1 1/8" THREADED STEERER TUBE; DISC BRAKE AND FEND- ER MOUNTS.
HEADSET	ZERO STACK SEMI-INTEGRATED 1 1/8" THREADED; ZS44/28.6-26TPI ZS44/30.
SEATPOST	SILVER 27.2MM X 350MM COIL SPRUNG SUSPENSION SEATPOST WITH 40MM OF TRAVEL AND ADJUSTABLE PRELOAD.
SADDLE	EXTRA WIDE CRUISER STYLE SADDLE WITH SOFT FOAM; REAR FACING PEDEGO LOGO; 265MM L X 265MM W.
RIMS	26" OR 28" EXTRA STRENGTH DOUBLE WALL; LIGHTWEIGHT ALUMINUM ALLOY; 12G X 36 HOLE.
SPOKES	SILVER HEAVY DUTY 12 GAUGE STAINLESS STEEL SPOKES WITH BRASS NIPPLES.
GRIPS	PEDEGO SYNTHETIC LEATHER GRIP WITH HAND STITCHING AND FOAM PADDING; COLOR MATCHED BALLOON PACKAGE.
HANDLEBAR	SILVER ERGONOMIC CITY STYLE; ALUMINUM ALLOY; 25.4MM CLAMP DIAMETER; 650MM WIDTH.
STEM	SILVER QUICK RELEASE ADJUSTABLE QUILL STYLE; 110MM LENGTH; 0° - 80° ADJUSTABLE ANGLE; 25.4MM HANDLEBAR CLAMP DIAMETER; HEIGHT ADJUSTABLE 0-60MM; FOR 1 ½" (28.6MM) THREADED STEERER TUBE.
TIRES	SCHWALBE FAT FRANK 28" X 2.0" WITH K-GUARD KEVLAR FLAT PROTECTION OR SCHWALBE BIG APPLE 26" X 2.0" WITH RACEGUARD FLAT PROTECTION; SLIME INNER TUBE SEALANT; SCHRADER VALVESEALANT; SCHRADER VALVE.



SPECIFICATIONS

Extras

BATTER


LIGHTS	FRONT: LED WITH ADJUSTABLE MOUNT 40 LUX (200 LUMENS); REAR: LED BUILT INTO BATTERY; BOTH POWERED BY MAIN BATTERY AND CONTROLLED BY DISPLAY.
KICKSTAND	SILVER ALUMINUM ALLOY CENTER KICKSTAND; ADJUSTABLE LENGTH COMPOSITE FOOT.
TOOL KIT	CUSTOM PEDEGO TOOL KIT: 6" ADJUSTABLE WRENCH (UP TO 15MM), 12/13G SPOKE WRENCH, T25 TORX WRENCH, 6MM HEX WRENCH, 5MM HEX WRENCH WITH #2 PHILLIPS SCREWDRIVER, 4MM HEX WRENCH.
FENDERS	COLOR MATCHED STEEL FULL LENGTH FENDERS WITH INTEGRATED MUD FLAPS; STAINLESS STEEL STAYS.
Weight	
BIKE (NO BATTERY)	STEP THRU 26": 51.4 LB; STEP THRU 28": 53.4 LB; CLASSIC 28": 51.6 LB.

*All bicycle weights do not include a battery. Due to manufacturing tolerances of the individual components the overall bike weight may vary +/- 5%.

48V/15Ah: 9.2 LB; 48V/10Ah: 8.8 LB.

DIMENSIONS

City Commuter Step-Thru 26"






DIMENSIONS


City Commuter Step-Thru 28"

BIKE DIMENSIONS GUIDE



- 1 REAR HEIGHT 33" (838mm)
- **2** HANDLEBAR WIDTH 26" (660mm)
- **3** SEAT TUBE TO HANDSET 22" (559mm)
- SEAT CLAMP TO CRANK 17" (432mm)
- **5** SEAT CLAMP TO GROUND **29**" (736mm)
- 6 AXLE TO AXLE 44.5" (1130mm)
- **7** END TO END 74" (1880mm)

City Commuter Classic 28"



 REAR HEIGHT 33" (838mm)
HANDLEBAR WIDTH 26" (660mm)
SEAT TUBE TO HANDSET 24" (610mm)
SEAT CLAMP TO CRANK 18" (457mm)
SEAT CLAMP TO GROUND 30" (762mm)
AXLE TO AXLE 47" (1194mm)
END TO END

75" (1905mm)

*All bicycle weights do not include a battery. Due to manufacturing tolerances of the individual components the overall bike weight may vary +/- 5%.

