
FIRELITE TRANSPORT PACER FP-201



BASE PRICE: \$5,200.00 + SHIPPING

UPGRADE TO HONDA MOTOR: \$315

5.5 HP Briggs & Stratton OHV Pacer Pump

60 GPM @ 45 PSI 200 GPM @ 5 PSI

- 20' of 2" suction hose with strainer
- 125' of 1-1/2" NPT discharge hose with 1-1/2" adjustable spray nozzle
- ¾" line with shut off for water pack refill
- Pump comes with lightweight roll cage
- Able to self-prime to 25' with initial charge
- Water tank sight gauge
- Able to draft up to 19' with initial prime

Dimensions	Dry Weight	Wet Weight	Crated Weight
55 GAL 48"W x 55"L x 22"H	260	700	380
70 GAL 48"W x 55"L x 22"H	270	830	390

*weights & dimensions are approximate only

PACER



ALL UNITS SHIP FULLY ASSEMBLED






KIMTEK CORPORATION







FIRELITE TRANSPORT DARLEY FD-202



BASE PRICE: \$6,250.00 + SHIPPING

ADD SCOTTY THROUGH THE PUMP FOAM SYSTEM WITH 5 GALLON FOAM CELL: \$735 ADD MERCEDES DRAFTLITE KIT: \$420 ADD REMOVABLE TOOL TRAY: \$785

UPGRADE TO 6.5 HP ELEC (AK314): \$575

Darley-Davey AK315 6.5 HP
Two-Stage
65 GPM @ 48 PSI
50 GPM @ 81 PSI
20 GPM @ 120 PSI

- 2 gated 1-1/2" discharges
 Able to draft up to 19' with initial prime
- 1 gated 1" discharge*
- 1 gated 1" pump to tank refill
- 1 gated 1-1/2" auxiliary suction
- 1 gated 1-1/2" tank to pump
- Water tank sight gauge
- * 1 gated 1" discharge not available if foam is added

Dimensions	Dry Weight	+ 5 gal foam	Wet Weight	Wet Weight + foam	Crated Weight
55 GAL 48"W x 55"L x 22"H	260	277	717	757	390
70 GAL 48"W x 55"L x 22"H	270	290	850	890	390

*weights & dimensions are approximate only Tool tray adds approximately 55 lbs

















FIRELITE TRANSPORT DELUXE FDH-203

Hannay 4000 series manual reel with your choice of 50' of 1" or 100' of ¾" booster hose (unit shown with optional electric rewind)

Photo shown with optional red rubber jacketed booster hose.

Pump features stainless steel piping & brass valves

All aluminum tubing & diamond plate chassis

Top water tank fill point Your choice of 55 or 70 gallon poly water tank

Rescue area with stainless steel grab bars

Large hose storage area with tailgate



ADD ELECTRIC REWIND TO HANNAY REEL: \$420 ADD SCOTTY FOAM SYSTEM W/ 5 GAL CELL: \$735 ADD MERCEDES DRAFTLITE KIT: \$420 UPGRADE TO VIPER NOZZLE: \$315 UPGRADE TO 6.5 HP ELEC (AK314): \$575 ADD REMOVABLE TOOL TRAY: \$785

Darley-Davey AK315 6.5 HP Two-Stage 65 GPM @ 48 PSI 50 GPM @ 81 PSI 20 GPM @ 120 PSI 1 gated 1" to booster reel

• 1 gated 1-1/2" auxiliary suction

• 1 gated 1-1/2" tank to pump

Water tank sight gauge

 Includes CS 105/15 1" NST dual flow with bumper wildland nozzle 1 gated 1-1/2" discharge

1 gated 1" discharge*

Darley-Davey Honda 6.5 HP

stationary pump

1 gated 1" pump to tank refill

Able to draft up to 19' with initial prime

Boostlite hose standard

* 1 gated 1" discharge not available if foam is added

Dimensions	Dry Weight	+ 5 gal foam	Wet Weight	Wet Weight + foam	Crated Weight
55 GAL 48"W x 55"L x 38"H	324	340	790	830	485
70 GAL 48"W x 55"L x 38"H	335	351	918	958	495

*weights & dimensions are approximate only Add 30 lbs to weights if going with optional red rubber jacketed booster hose

Tool tray adds approx. 55 lbs



ALL UNITS SHIP FULLY ASSEMBLED





KIMTEK CORPORATION













FIRELITE TRANSPORT SUPERMAX FST-204

Hannay 4000 series manual reel with your choice of 50' of 1" or 100 of 34" booster hose (unit shown with optional electric rewind)

Photo shown with optional red rubber jacketed booster hose.

> Pump features stainless steel piping & brass valves



BASE PRICE STARTS AT: \$7,950.00 **SHIPPING**

ADD ELECTRIC REWIND TO HANNAY REEL: \$420 ADD SCOTTY FOAM SYSTEM W/ 5 GAL CELL: \$735 ADD UPGRADED VIPER NOZZLE: \$315 **UPGRADE TO 9HP ELEC START** \$1,260 **UPGRADE TO 6.5HP ELEC START:** \$575 **UPGRADE TO 13HP ELEC START** \$1,575

Darley Da	vey Pump GP	M/PSI
Pump	GPM	PSI
	65	48
AK315 6.5 HP	50	81
	20	120
	120	36
AK308 9 HP	60	118
	20	144
	120	40
AK 306 13 HP	60	133
	20	146

- 1 gated 1-1/2" discharge
- 1 gated 1" discharge*
- 1 gated 1" pump to tank refill
- Water tank sight gauge
- Includes CS 105/15 1" NST dual flow with bumper wildland nozzle
- 1 gated 1" to booster reel
- 1 gated 1-1/2" auxiliary suction
- 1 gated 1-1/2" tank to pump
- Able to draft up to 19' with initial prime
- **Boostlite Hose Standard**
 - * 1 gated 1" discharge not available if foam is added

Dimensions	Dry Weight	+ 5 gal foam	Wet Weight	Wet Weight + foam	Crated Weight
6.5 HP 48"W x 55"L x 41"H	375	390	1080	1120	530
9 HP 48"W x 55"L x 41"H	408	423	1112	1152	565
13 HP 48"W x 55"L x 41"H	420	435	1125	1165	575

*weights & dimensions are approximate only Add 30 lbs to weights if going with optional red rubber jacketed booster hose



ALL UNITS SHIP FULLY ASSEMBLED





KIMTEK CORPORATION












FIRELITE REAR HANNAY FHR-205



BASE PRICE: \$7,250.00 + SHIPPING

ADD ELECTRIC REWIND TO HANNAY REEL: \$420 ADD SCOTTY FOAM SYSTEM W/ 5 GAL CELL: \$735 ADD MERCEDES DRAFTLITE KIT: \$420 UPGRADE TO VIPER NOZZLE: \$315

UPGRADE TO 6.5 HP ELEC (AK314): \$575

Darley-Davey AK315 6.5 HP
Two-Stage
65 GPM @ 48 PSI
50 GPM @ 81 PSI
20 GPM @ 120 PSI

- 1 gated 1" to booster reel
- 1 gated 1-1/2" auxiliary suction
- 1 gated 1-1/2" tank to pump
- Water tank sight gauge
- Includes CS 105/15 1" NST dual flow with bumper wildland nozzle
- 1 gated 1-1/2" discharge
- 1 gated 1" discharge*
- 1 gated 1" pump to tank refill
 - Able to draft up to 19' with initial prime
 - Boostlite hose standard
 - * 1 gated 1" discharge not available if foam is added

Dimensions	Dry Weight	+ 5 gal foam	Wet Weight	Wet Weight + foam	Crated Weight
55 GAL 48"W x 55"L x 38"H	324	340	790	830	485
70 GAL 48"W x 55"L x 38"H	335	351	918	958	495

*weights & dimensions are approximate only Add 30 lbs to weights if going with optional red rubber jacketed booster hose






















FIRELITE COMPACT WILDFIRE FCW-206

Top water tank fill point Your choice of 55 or 70 gallon poly water tank



Hannay 4000 series manual reel with your choice of 50' of 1" or 100' of ¾" booster hose (electric rewind available)

Top fill point for optional Scotty foam system (optional foam system shown)

All aluminum tubing & diamond plate chassis

Photo shown with optional red rubber jacketed booster hose.

BASE PRICE: \$6,450.00 + SHIPPING

ADD ELECTRIC REWIND TO HANNAY REEL: \$420 ADD SCOTTY FOAM SYSTEM W/ 5 GAL CELL: \$735 ADD UPGRADED VIPER NOZZLE: \$315 UPGRADE TO 6.5 HP ELEC START: \$575

Darley-Davey AK315 6.5 HP Two-Stage 65 GPM @ 48 PSI 50 GPM @ 81 PSI 20 GPM @ 120 PSI

Darley-Davey Honda driven 6.5 HP stationary pump Pump features stainless

steel piping & brass valves

- 1 gated 1" to booster reel
- 1 gated 1-1/2" auxiliary suction
- 1 gated 1-1/2" tank to pump
- Water tank sight gauge
- Includes CS 105/15 1" NST dual flow with bumper wildland nozzle
- 1 gated 1-1/2" discharge (optional)
- 1 gated 1" pump to tank refill
- 1 hand primer
- Able to draft up to 19' with initial prime
 - **Boostlite Hose Standard**

Dimensions	Dry Weight	+ 5 gal foam	Wet Weight	Wet Weight + foam	Crated Weight
55 GAL 48"W x 34"L x 38"H	290	305	746	806	450
70 GAL 48"W x 34"L x 38"H	300	315	881	941	460

*weights & dimensions are approximate only Add 30 lbs to weights if going with optional red rubber jacketed booster hose






















FIRELITE Transport Mercedes FM-207

Top water tank fill point your choice of 55 or 70 gallon poly water tank



BASE PRICE: \$6,000.00 + SHIPPING

ADD SCOTTY FOAM SYSTEM W/ 5 GAL CELL: \$735 ADD REMOVABLE TOOL TRAY: \$785
ADD MERCEDES DRAFTLITE KIT: \$420 PUMP BACKPACK TRANSPORT SYSTEM: \$265

Mercedes Wick 100-4H

65 GPM @ 15 PSI 50 GPM @ 35 PSI 20 GPM @ 70 PSI

- 1 gated 1-1/2" auxiliary suction
- 1 gated 1-1/2" tank to pump
- 1 gated 1" discharge
- 1 gated 1" pump to tank refill
- Draftable with included hand primer
- Water tank sight gauge
- Quick disconnect pump

Dimensions	Dry Weight	+ 5 gal foam	Wet Weight	Wet Weight + foam	Crated Weight
55 GAL 48"W x 55"L x 22"H	220	237	677	717	350
70 GAL 48"W x 55"L x 22"H	230	250	798	830	375

*weights & dimensions are approximate only Add 30 lbs to weights if going with optional red rubber jacketed booster hose

Tool tray adds approx. 55 lbs






















FIRELITE Transport Mercedes FMH-208



BASE PRICE: \$7,100.00 SHIPPING

ADD ELECTRIC REWIND TO HANNAY REEL: \$420 ADD SCOTTY FOAM SYSTEM W/ 5 GAL CELL: \$735 \$420 \$315 ADD MERCEDES DRAFTLITE KIT: **UPGRADE TO VIPER NOZZLE:** \$785 PUMP BACKPACK TRANSPORT SYSTEM: \$265 ADD REMOVABLE TOOL TRAY:

Mercedes Wick 100-4H

65 GPM @ 15 PSI 50 GPM @ 35 PSI 20 GPM @ 70 PSI

- 1 gated 1" to booster reel
- 1 gated 1-1/2" auxiliary suction
- 1 gated 1-1/2" tank to pump
- Water tank sight gauge
- Quick disconnect pump
- Includes CS 105/15 1" NST dual flow with bumper wildland nozzle
- When pump is removed, 2: 1" discharges
- 1 gated 1" pump to tank refill
 - Draftable with included hand primer
 - **Boostlite hose standard**

Dimensions	Dry Weight	+ 5 gal foam	Wet Weight	Wet Weight + foam	Crated Weight
55 GAL 48"W x 55"L x 38"H	284	300	750	790	445
70 GAL 48"W x 55"L x 38"H	295	311	878	918	455

*weights & dimensions are approximate only Add 30 lbs to weights if going with optional red rubber jacketed booster hose

Tool tray adds approx. 55 lbs
























FIRELITE ULTRA HIGH PRESSURE FCAT-209



BASE PRICE STARTS AT: \$8,900.00 + SHIPPING

ADD RESCUE AREA: \$265

All of these standard features included in base price above

- 55 or 68 gallon poly water tank. 5 gallon foam cell
- CAT UHP pump with foam induction system ideal for Class A concentrates
- CAT Dual-strike UHP nozzle that delivers water or foam solution
- Injection percentage from 0.5% to 6.0%
- 9 HP Honda gas engine with electric start
- 1500 series UHP Hannay Electric Rewind Reel
- 100' of ½" high pressure rated booster hose with UHP nozzle
- Pressure gauge
- Inlet filter
- Primary and secondary pressure relief
- Purging system

Dimensions	Dry Weight	Wet Weight + foam	Crated Weight
55 Gal No Rescue Area 48"W x 55"L x 38"H	366	862.5	526
55 Gal w. Rescue Area 48" W x 55" L x 38" H	376	872	536
68 Gal No Rescue Area 48"W x 55"L x 38"H	377	981	537
68 Gal w. Rescue Area 48" W x 55" L x 38" H	387	991	547

*weights & dimensions are approximate only

CAT triplex, gearbox driven high-

pressure pump GPM/PSI

GPM

6.7

PSI

1200



ALL UNITS SHIP FULLY ASSEMBLED





FEMSA

KIMTEK CORPORATION












FIRELITE ULTRA HIGH PRESSURE FCAT-209-85



BASE PRICE STARTS AT: \$9,450.00 + SHIPPING

ADD RESCUE AREA: \$265

All of these standard features included in base price above

- 85gallon poly water tank. 5 gallon foam cell
- CAT UHP pump with foam induction system ideal for Class A concentrates
- CAT Dual-strike UHP nozzle that delivers water or foam solution
- Injection percentage from 0.5% to 6.0%
- 9 HP Honda gas engine with electric start
- 1500 series UHP Hannay Electric Rewind Reel
- 100' of ½" high pressure rated booster hose with UHP nozzle
- Pressure gauge
- Inlet filter
- Primary and secondary pressure relief
- Purging system

Dimensions	Dry Weight	Wet Weight + foam	Crated Weight
85 Gal No Rescue Area 48"W x 55"L x 41"H	440	1185	600
85 Gal w. Rescue Area 48" W x 55" L x 41" H	450	1195	610

*weights & dimensions are approximate only

CAT triplex, gearbox driven high-

pressure pump GPM/PSI

PSI

1200

GPM

6.7

















